

Purchase Order Receipt Listing


Monday, November 09, 2015 11:36:22 AM

All amounts are calculated in domestic currency.

All Vendors PO ID PO30311 Receipt Dates from 11/9/2015 to 11/9/2015 All Line Item Types
All Item ID/GL/WOs All Rec. Employees All Currencies
Grouped by Vendor ID

| Purchase Order ID/ Curr Type | Line Nbr/ Insp Req | Project ID | Reference/ Description/ Cert Std | PO U/M/ Stock U/M | Required Date Required Qty | Recv Date/ Recv Emp | Recv Qty (PO U/M) | Cost Per Unit/ Recv Value | Inspected Qty/ Rejected Qty (PO U/M) | MIRB Qty/ MIRB Reject Qty | Book Amt |
|---------------------------------|--------------------------|------------|----------------------------------------|----------------------|-------------------------------|------------------------|----------------------|------------------------------|--------------------------------------------|---------------------------------|----------|
| PO30311 CAD | 1 No | VC-CAM002 | M1010S18GA | Campi Steel | 11/9/2015 | 11/9/2015 | 64.0000 | \$1.21 | 0.0000 | 0 | \$77.29 |
| | | | 1010/1025 SHEET | sf | 64.0000 | DCUSER | | \$77.29 | 0.0000 | 0 | |
| | | | .048 | | | | | | | | |
| | | | m133560 | | | | | | | | |
| | | | M2024T3S.050 | sf | 11/9/2015 | 11/9/2015 | 48.0000 | \$5.89 | 0.0000 | 0 | \$282.67 |
| | | | 2024-T3 .050 sheet | sf | 48.0000 | DCUSER | | \$282.67 | 0.0000 | 0 | |
| | | | m133560 | | | | | | | | |
| | | | M304B0.625X3.000 | f | 11/9/2015 | 11/9/2015 | 12.0000 | \$18.78 | 0.0000 | 0 | \$225.31 |
| | | | 304 BAR .625 X 3.00 | f | 12.0000 | DCUSER | | \$225.31 | 0.0000 | 0 | |
| | | | m133560 | | | | | | | | |
| | | | M304B1.000X1.000 | f | 11/9/2015 | 11/9/2015 | 12.0000 | \$13.52 | 0.0000 | 0 | \$162.24 |
| | | | 304 bar 1.00 x 1.00 | f | 12.0000 | DCUSER | | \$162.24 | 0.0000 | 0 | |
| | 2 No | | m133560 | | | | | | | | |
| | | | M304R0.375 | f | 11/9/2015 | 11/9/2015 | 12.0000 | \$0.93 | 0.0000 | 0 | \$11.16 |
| | | | 304 ROUND BAR | f | 12.0000 | DCUSER | | \$11.16 | 0.0000 | 0 | |
| | | | 0.375 | | | | | | | | |
| | | | m133560 | | | | | | | | |
| | | | M6061T6R0.625 | f | 11/9/2015 | 11/9/2015 | 20.0000 | \$0.89 | 0.0000 | 0 | \$17.77 |
| | | | 6061-T6 Round Bar | f | 20.0000 | DCUSER | | \$17.77 | 0.0000 | 0 | |
| | | | .625" | | | | | | | | |
| | | | m133560 | | | | | | | | |
| | | | M6061T6R0.750 | f | 11/9/2015 | 11/9/2015 | 20.0000 | \$1.27 | 0.0000 | 0 | \$25.45 |
| | | | 6061-T6 Round Bar | f | 20.0000 | DCUSER | | \$25.45 | 0.0000 | 0 | |
| | | | .750" | | | | | | | | |
| | 11 No | | m133560 | | | | | | | | |
| | | | 71401-45 | | 11/9/2015 | 11/9/2015 | 1.0000 | \$0.00 | 0.0000 | 0 | \$0.00 |
| | | | PROCUREMENT | | 1.0000 | DCUSER | | \$0.00 | 0.0000 | 0 | |
| | 40 No | | QUALITY CLAUSES | | | | | | | | |
| | | | m133560 | | | | | | | | |

| Purchase Order ID/ Curr Type | Line Nbr/ Insp Req | Project ID | Reference/ Description/ Cert Std | PO U/M/ Stock U/M | Required Date Required Qty | Recv Date/ Recv Emp | Recv Qty (PO U/M) | Cost Per Unit/ Recv Value | Inspected Qty/ Rejected Qty (PO U/M) | MIRB Qty/ MIRB Reject Qty | Book Amt |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|------------|----------------------------------------|----------------------|-------------------------------|---------------------------|-------------------------|------------------------------|--------------------------------------------|---------------------------------|---------------------------------------------------------------------------|
| <p>Total Received Quantity:</p> <p>Total Qty to Inspect (PO U/M):</p> <p>Total Reject Quantity:</p> <p>Total Receipt Value:</p> <p>Total Balance Due Quantity:</p> | | | | | | | | | | | <p>189.0000</p> <p>0.0000</p> <p>0.0000</p> <p>\$801.90</p> <p>0.0000</p> |



1993
DEPUIS - SINCE
Merci! • Thank you!

935, boul. du Havre
Valleyfield, Québec
J6S 5L1

Valleyfield
Tél.: 450 377-4248
Fax: 450 377-5696

Montréal
Tél.: 514 336-4248
Fax: 514 336-4246
Ontario
Tél.: 1 800 667-4248
Fax: 1 866 456-4242

DISTRIBUTEUR D'ACIER ET DE MÉTAUX SPÉCIALISÉS
STEEL AND SPECIALTY METALS DISTRIBUTOR

www.aciercampi.com

VENDU À / SOLD TO:

613-632-5200 613-632-1053

DART AEROSPACE LTD
1270 ABERDEEN STREET
HAWKESBURY,
ONTARIO
K6A 1K7

DART AEROSPACE LTD
1270 ABERDEEN STREET
HAWKESBURY,
ONTARIO
K6A 1K7

EQUIP: LIFT

EXPÉDIEZ À / SHIP TO:

EXPÉDIEZ À / SHIP TO:

| | | | | | | | |
|-----------------------------------------------|---------------------|----------------------------------|----------------------------------|--------------------------------|-------------|---------------------|----------------|
| VOTRE N° DE COMMANDE / YOUR PO. N° FO30311 | VEND./SALES M. V | CODE CLIENT / CUST. CODE DAER | EXPÉDIER PAR / SHIP VIA 12345 | TERMES / TERMS NET 30 JOURS | TERR. 2R | REMARQUES / REMARKS | PAGE N° 001 |
|-----------------------------------------------|---------------------|----------------------------------|----------------------------------|--------------------------------|-------------|---------------------|----------------|

| CODE DE PRODUIT PRODUCT CODE | COMMANDE ORDERED | EXPÉDIE SHIPPED | DESCRIPTION | POIDS WEIGHT | PRIX PRICE | PAR PER | * MONTANT AMOUNT |
|---------------------------------|---------------------|--------------------|----------------------------------------------------------------------------------------|-----------------|---------------|------------|------------------------|
| FEC4818G | 2 | | C.R. SHEET 18J 48 X 96 2 X 4' X 8' (64sf) HEAT: 765136 | 120.00 | | | |
| | 48 | | FEUILLE 2024-13 "050" QQ-A-250/4 (BARE) 1 X 4' X 12' (48pc) HEAT: 60968/01/00 | 48.00 | | | |
| | 12 | | FLAT SS-304 5/8" X 3" 1 X 12' R/L HEAT: 264347 | 12.00 | | | |
| CSS1 | 12 | | S.S. 304 SQUARE 1 1 X 12' R/L HEAT: JSS02016 | 40.00 | | | |
| RSS30 | 12 | | S.S. 304 ROUND 3/8 1 X 12' R/L HEAT: M885 | 4.56 | | | |

POIDS TOTAL
TOTAL WEIGHT

CONDITIONS:

ALL SOLD AND DELIVERED MATERIALS REMAIN THE PROPERTY OF "ACIER CAMP I INC." UNTIL PAYMENT IS MADE FULL, COMPLETE AND CASHED. • ALL
LUST MATERIALS ARE AT THE BUYER'S RISK. • ALL MATERIALS BEAR THE SAME WARRANTY AS GIVEN BY THE MANUFACTURER. • THE BUYER
ACCEPTS TO RESPECT THE FOLLOWING CONDITIONS: NET 30 DAYS FROM BILLING DATE AND THE BUYER ACCEPTS TO PAY ADMINISTRATION FEE OF
2% PER MONTH OR 2% PER ANNUM ON THE TOTAL DUE ACCOUNTS OVER 30 DAYS. • ANY DEFECT IN RESPECT WITH THIS CONTRACT WILL LEAD TO
PAYMENT BY ACCELERATION AND PAYMENTS TO THE SELLER, AT HIS CHOICE TO CLAIM FOR THE BALANCE DUE OR THE REPOSSESSION OF THE GOODS SOLD.
ANY CLAIM MUST BE MADE WITHIN FIVE DAYS AFTER THE DOCUMENT ENCLOSED. • ANY MERCHANDISE THAT HAS BEEN DAMAGED, CUT OR MODIFIED
CANNOT BE RETURNED. • ALL GOODS RETURNED MUST BE WITH OUR AUTHORIZATION AND ARE SUBJECT TO A 15% RESTOCKING CHARGE.

LES MATÉRIAUX LIVRÉS ET FACTURÉS TELS QUE DÉCRITS PRÉSENTENT LA PROPRIÉTÉ DE "ACIER CAMP I INC." JUSQU'À PAIEMENT COMPLET
ENCAISSÉ. • LES RISQUES DE Perte DU BIEN SONT À LA CHARGE DU CLIENT. • LA GARANTIE DE QUALITÉ DU MATÉRIEL EST LA MÊME QUE CELLE DU
FABRICANT. • L'ACHETEUR S'ENGAGE À RESPECTER LES CONDITIONS SUIVANTES: NET 30 JOURS DE LA DATE DE FACTURATION, ET TOUT COMPTÉ IMPAYÉ
DANS LES 30 JOURS ENTRAÎNE DES FRAIS DE 2% PAR MOIS (2% PAR ANNUÉ) SUR LE TOTAL DUE. • LE CLIENT S'ENGAGE À PAYER LES FRAIS D'ADMINISTRATION
OBLIGATIONS EN VERTU DU PRÉSENT CONTRAT ENTRAÎNE LA DÉCHÉANCE DU TERME ET PERMET AU Vendeur, À SON CHOIX, DE RÉCLAMER TOUT SOLDE
DU PRIX DE VENTE OU PRENDRE LE BIEN VENDU. • TOUTE RÉCLAMATION DOIT ÊTRE FAITE DANS LES CINQ JOURS SUITE À LA PRÉSENTATION DE CE
DOCUMENT. • TOUTE MARCHANDISE ENDOMMAGÉE, ALTÉRÉE OU COUPÉE NE PEUT ÊTRE REPRISE. • AUCUN RETOUR DE MARCHANDISE NE SERA
ACCEPTÉ SANS NOTRE AUTORISATION. • TOUTE MARCHANDISE RETOURNÉE EST SUJETTE À DES FRAIS DE MANUTENTION DE 15%.

CONDITIONS:

LES MATÉRIAUX LIVRÉS ET FACTURÉS TELS QUE DÉCRITS PRÉSENTENT LA PROPRIÉTÉ DE "ACIER CAMP I INC." JUSQU'À PAIEMENT COMPLET
ENCAISSÉ. • LES RISQUES DE Perte DU BIEN SONT À LA CHARGE DU CLIENT. • LA GARANTIE DE QUALITÉ DU MATÉRIEL EST LA MÊME QUE CELLE DU
FABRICANT. • L'ACHETEUR S'ENGAGE À RESPECTER LES CONDITIONS SUIVANTES: NET 30 JOURS DE LA DATE DE FACTURATION, ET TOUT COMPTÉ IMPAYÉ
DANS LES 30 JOURS ENTRAÎNE DES FRAIS DE 2% PAR MOIS (2% PAR ANNUÉ) SUR LE TOTAL DUE. • LE CLIENT S'ENGAGE À PAYER LES FRAIS D'ADMINISTRATION
OBLIGATIONS EN VERTU DU PRÉSENT CONTRAT ENTRAÎNE LA DÉCHÉANCE DU TERME ET PERMET AU Vendeur, À SON CHOIX, DE RÉCLAMER TOUT SOLDE
DU PRIX DE VENTE OU PRENDRE LE BIEN VENDU. • TOUTE RÉCLAMATION DOIT ÊTRE FAITE DANS LES CINQ JOURS SUITE À LA PRÉSENTATION DE CE
DOCUMENT. • TOUTE MARCHANDISE ENDOMMAGÉE, ALTÉRÉE OU COUPÉE NE PEUT ÊTRE REPRISE. • AUCUN RETOUR DE MARCHANDISE NE SERA
ACCEPTÉ SANS NOTRE AUTORISATION. • TOUTE MARCHANDISE RETOURNÉE EST SUJETTE À DES FRAIS DE MANUTENTION DE 15%.

| | | | |
|---------------------------|---------------------------|--------------------------|--------------|
| PRÉPARÉ PAR / PREPARED BY | VERIFIÉ PAR / VERIFIED BY | LIVRÉ PAR / DELIVERED BY | HEURE / TIME |
| | | | |

| | | |
|-------------------------------------------------------------------------------|-----|-----|
| MARCHANDISE RECUE EN BONNE CONDITION / MERCHANDISE RECEIVED IN GOOD CONDITION | | |
| A/Y | M/M | J/D |
| | | |

TOTAL

T.V.Q. / T.V.H.
G.S.T. / H.S.T.

S.O.U.S.-TOTAL
SUB TOTAL

T.P.S.
G.S.T.

SIGNATURE DU CLIENT / CUSTOMER'S SIGNATURE

DATE

N° ENR. TPS / GST REG. N° 822 435 970 RT 0001 • N° ENR. TVQ / QST REG. N° 122 127 8280 TO 0001

558861
Sold To/Vendu A

Ship To/Expédier A

Spec/Norm et Spec.

ASTM A1008/A1008M-13 CS TYPE B (13)
STD ASTM, 2/3 FOR HDG GT.075(2MM), WELD OK
SEMI-CRITICAL SURFACE
STANDARD FLATNESS - ASTM FULL TOLERANCE
MATERIAL CERTIFICATION REQUIRED

Material Description/Description du Material

COLD ROLLED STEEL SHEET
COMMERCIAL STEEL
COILS
MATTE FINISH OILED

.0440 MIN .0480 X 48 X COIL
Weight - 22300 LBS
Test Methods
ASTM E1019, E415

DAS
9
9-89

HEAT Chemical testing performed by an ISO/IEC 17025 certified laboratory
C057872
765136

| | C | Mn | P | S | Si | Cu | Ni | Cr | Sn | Mo | Als | Alt | Ch | V | Ti | Ca | N | B | O |
|--|----|-----|------|------|-----|-----|-----|-----|------|-----|------|------|------|------|------|-------|-------|-------|---|
| | 05 | .20 | .006 | .016 | .01 | .12 | .07 | .08 | .004 | .02 | .044 | .044 | .001 | .001 | .001 | .0004 | .0042 | .0000 | |

SERIAL NUMBER LIFT #
NOMBRE DE SERIE FARDEAU
H53140/03 6345998

C057872

We Certify That The Material Described Herein Conforms To The Specification Shown On This Document
ArcelorMittal Dofasco Inc. as per Diane Skupny-MacBride - CMTL Supervisor
The Results Relate Only To The Items Tested
This Report Shall Not Be Reproduced Except In Full Without The Expressed Written Approval of The CMTL Supervisor.

This Contract Is Subject To The Terms And Conditions Of Sale Shown On The Order Acknowledgement.
Ce Contrat est Sujet aux Termes et Conditions de Vente Indiqués Sur l'Accuse de Reception de Commande.
ArcelorMittal Dofasco Inc. TEST REPORT Attention: Linda Paiement
P.O. Box 2460 RAPPORT D'ESSAI Email: lpaielement@samuel.com
Hamilton, Ontario Date: 06/25/2015
L8N 3J5

Page 1 of 1

Purchase Order/Bon de Commande
C49504-3 JUNE 15
Bill of Lading/Connaissance
558862
Sold To/Vendu A

Customer/Client Sales Order/Bon de Commande Vendor/Vendeur
563960 BS 349454001
Packing Slip/Bordereau de Charge Vehicle or Carrier/Vehicule ou Transporteur
Ship To/Expédier A



Abnahmeprüfzeugnis 3.1 (EN 10204)
Inspection certificate - mill certificate

Nr.: 85170692
Rev.: 0

01 / 1

Seite / page: 1 von / of 3
Datum / date: 2015 05 07

Zertifiziert nach / certified to ISO 9001, ISO/TS 16949, EN/AS 9100, ISO 14001, NADCAP

| | | |
|-----------------------------|----------------------------------------|------------|
| Auftraggeber / customer: | Bestell Nr. / order no.: | C 69965 |
| | Datum / date: | 2015 02 05 |
| Warenempfänger / consignee: | Auftragsbest. Nr. / order confirm no.: | 688222 |
| | Datum / date: | 2015 02 09 |
| | Lieferschein Nr. / delivery note: | 85170692 |
| | Datum / date: | 2015 05 29 |

| Produkt / product | Bedingungen / terms |
|---------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Form / form: Sheet Werkstoff / material: 2024 Zustand / temper: T3 Dlm. / dim.: [inch]: 0,050x48,00x144,00 | Technische Lieferbedingungen / techn. spec.: AMS-QQ-A-250/4A, 09.1998 ASTM B 209 - 10 AMS 4037Q, 12.2014 WL 3.1354-1, 12.1987 Cessna CMMP019, Rev. D, 09-07-01 Cessna CMMP025, Rev. U, 05-26-11 ANSI H35.2-2013 ABM 1-6015, Issue 2, OCT 2004 AIR9048-110, 26 December 1978 Sondervorschrift / special terms: |

| AB-Pos. ord.-item. | BNr/Los/Teillos Lot/No./Part | Guss Nr. cast no. | Werkstoff material | Kollo packno. | Gewicht netto weight net | Stk. pcs. |
|-----------------------|---------------------------------|----------------------|-----------------------|------------------|-----------------------------|--------------|
| 05 | 68968/01/00 | 01/0067462/5 | 2024 | 6882220002 | 2427,249 lbs | 70 |
| 05 | 68968/01/00 | 01/0067462/5 | 2024 | 6882220003 | 2215,608 lbs | 64 |

| Chemische Zusammensetzung ([%] Gewichtsanteile) / Chemical composition ([%] weight proportion (OES)) | | | | | | | | | | | |
|------------------------------------------------------------------------------------------------------|--------------|------|------|-----|------|-----|------|------|------|-------|-------------|
| Guss Nr. / cast no. | material | Si | Fe | Cu | Mn | Mg | Cr | Zn | Ti | Ti+Zr | Others Each |
| 01/0067462/5 | 2024 | | | | | | | | | | |
| | spec. min. | - | - | 3,8 | 0,30 | 1,2 | - | - | - | - | - |
| | spec. max. | 0,50 | 0,50 | 4,9 | 0,90 | 1,8 | 0,10 | 0,25 | 0,15 | 0,20 | 0,05 |
| | actual | 0,10 | 0,11 | 4,5 | 0,52 | 1,5 | 0,01 | 0,16 | 0,04 | 0,05 | 0,02 |
| | Others Total | | | | | | | | | | |
| | spec. min. | - | | | | | | | | | |
| | spec. max. | 0,15 | | | | | | | | | |
| | actual | 0,04 | | | | | | | | | |



Abnahmeprüfzeugnis 3.1 (EN 10204)
Inspection certificate - mill certificate

Nr.: 85170692

01 / 1

Rev.: 0

Seite / page:

2 von / of 3

Datum / date:

2015 05 07

Zertifiziert nach / certified to ISO 9001, ISO/TS 16949, EN/AS 9100, ISO 14001, NADCAP

| Zugprüfung LT / tensile test LT | | | | | | | | | |
|---------------------------------|-------------------|-----------------------|-------|-----------|--------------|-------------|------------|--|--|
| BNr/Los Lot/No. | Zustand temper | Richtung direction | Tests | | UTS [ksi] | YS [ksi] | A2" [%] | | |
| | | | | spec.min. | 63,8 | 42,1 | 15 | | |
| | | | | spec.max. | - | - | - | | |
| 68968/01 | T3 | LT | 6 | from | 67,3 | 48,6 | 17 | | |
| 68968/01 | T3 | LT | | to | 67,7 | 49,0 | 18 | | |

| Elektr. Leitfähigkeit GM / electr. Conductivity GM | | | | | | | | | |
|----------------------------------------------------|-------------------|-------|------|--------------------|-----------------------------------|-----|--|--|--|
| BNr/Los Lot/No. | Zustand temper | Tests | | L / ec [% IACS] | ΔL / Δec per batch [% IACS] | | | | |
| | | | | spec.min. | - | - | | | |
| | | | | spec.max. | 32,8 | 2,6 | | | |
| 68968/01 | T3 | 18 | from | 30,2 | 0,3 | | | | |
| 68968/01 | T3 | | to | 30,5 | 0,3 | | | | |

Sonstige Prüfungen / other tests

Biegeversuch: OK. / Transverse bend test: OK.

Interkristalline Korrosion: OK. / Intergranular corrosion: OK.

Maßkontrolle: OK. / Dimensional Check: OK.

Oberfläche: OK. / Surface inspection: OK.

Bemerkungen / notes

Die Dimensionstoleranzen entsprechen ANSI XXX /
 As standard, dimensional tolerances are to ANSI XXX



Abnahmeprüfzeugnis 3.1 (EN 10204)
Inspection certificate - mill certificate

Nr.: 85170692

01 / 1

Rev.: 0

Seite / page:

3 von / of 3

Datum / date:

2015 05 07

Zertifiziert nach / certified to ISO 9001, ISO/TS 16949, EN/AS 9100, ISO 14001, NADCAP

Ausgestellt nach Airbus Zulassung Nr. 30272.

Wir bestätigen, dass die gesamte Lieferung unter Einhaltung und soweit oben nicht anders dargelegt aller Forderungen (Spezifikationen, Zeichnungen, Aufträge) hergestellt und geprüft wurde.

Das Qualitätsmanagementsystem erfüllt die Anforderungen der AUK/SA/001-3.

Hergestellt, kontrolliert und geprüft nach Hawker Beechcraft HBIFSAS/PART3/0771

Agusta Westland Genehmigung Lieferantenummer V21275

Issued under Airbus Approval No. 30272.

Certified that the whole of the supplies detailed hereon have been manufactured, inspected, tested and unless otherwise stated above conform in all respects to the Specifications, Drawings and Contract.

Order relevant thereto The Quality Management System arrangements in respect of these supplies comply with the requirements of AUK/SA/001-3.

Manufactured, inspected and tested according Hawker Beechcraft HBIFSAS/PART3/0771

Agusta Westland approval supplier code V21275


Es wird bestätigt, dass die Lieferung geprüft wurde und den Vereinbarungen bei der Bestellung entspricht.

We hereby certify that the material described above has been tested and complies with the terms of the order contract.

| Werkstoffverständiger / factory specialist | E-Mail / e-mail |
|--------------------------------------------|-----------------|
| Rendl Herbert | h.rendl@amag.at |

Herstellerland: Österreich / goods origin: The goods are of Austrian origin.

Maschinenf. erstellt - Gültig ohne Unterschrift / Automated - valid without being signed.



Acciaierie Valbruna S.p.A.



CERTIFICATO DI COLLAUDO
ABNAHMEPRUEFZEUGNIS
INSPECTION CERTIFICATE
CERTIFICAT DE RECEPTION
EN 10204 (2004), 3.1

36100 VICENZA (Italia) - Viale della scienza, 25 z.l.
Slab.: 39100 BOLZANO (Italia) - Via A. Volta, 4
Telephon number : 0039 (0) 444968211

QUALITY MANAGEMENT SYSTEM CERTIFIED BY LLOYD'S REGISTER

Cliente / Besteller/Purchaser/Cest
VALBRUNA CANADA LTD
8724 HOLGATE CRESCENT
L5T 5Z1-MILTON, ONT L5T 5Z1-CA

Avviso di Spedizione: D-VI14022348
Lieferantenrigo/Packing list/B.L.

Certificato nr: MEST544511/2014/
Prüfung/Est/Essai

Produttore: ACCIAIERIE VALBRUNA S.P.A.
Hersteller/Usine producer

Ordine nr: 404004726 Stock - Canada
Bestell/Vour order/Commande

Conferma ordine nr: EI14004333
Works/Our Order/Ref. nr.

Marchio di Fabbrica:
Zeichen des Lieferanten
Trade mark
Signe de l'usine productrice



Stato di fornitura: Hot rolled Descaled Annealed Hot rolled
Lieferzustand/Delivery state/Etat de livraison

Tipo di Elaborazione: E+AOD
Erschmelzungsart/Smelting process/Mode d'elaboration

Punzone del Collaudatore:
Stempel des Werksachverständigen
Inspector's stamp/Pointon de l'essayeur



Specifiche:
Anforderungen / Requirements / Exigences

VSI 0 304/304L A
AMS 5647 J S30403 A
ASME SA193 2013 B8 CLASS1 (1)
ASME SA479 2013 S30400/03 A (4)
ASTM A262 2013 PRACTICE E
ASTM A320 2011A B8 CLASS1
MIL-S-862 B/1 304/304L
QQ-S-763 F 304/304L A

AISI 304/304L
AMS-QQ-S-763 C 304/304L A
ASME SA276 2013 S30400/03 A (2)
ASTM A182 2012B S30400/03 A (5)
ASTM A276 2011A S30400/03 A
ASTM A473 2001 S30400/03 (6)
NACE MR0103 2010 S30400/03 A

AMS 5639 H S30400 A
ASME SA182 2013 S30400/03 A (0)
ASME SA320 2013 B8 CLASS1 (3)
ASTM A193 2011A B8 CLASS1
ASTM A314 2008 S30400/03
ASTM A479 2013A S30400/03 A
NACE MR0175 2009 S30400/03 A (7)

- (0) SECTION II PT.A 2013 EDITION
(1) SECTION II PT.A 2013 EDITION
(2) SECTION II PT.A 2013 EDITION
(3) SECTION II PT.A 2013 EDITION
(4) For products machined directly from bar refer also
(5) to ASTM A479.
(6) Chemical analysis only.
(7) Technical circular 1:2011 Published 2011-06-14

- (0) For products machined directly from bar refer to ASME SA479.
(2) SECTION II PT.A 2013 EDITION
(4) SECTION II PT.A 2013 EDITION
(5) to ASTM A479.
(7) ANSI/NACE MR0175/ISO 15156-3, second edition 2009-10-15

Qualità: 304/304L
Werkstoff/Grade/Qualité

Marca: AISI

Tolleranza: ASTM A484-14 TABLE 5

Punzonatura: 304/304L
Kennzeichnung/Markierung/Qualité

| Pos. nr. Pos. nr. Item nr. Nr. de pose | Oggetto Gegenstand Product description Descr. de produit | Dimensioni - In Abmessungen DIMENSION Dimension | Lunghezza - In Länge Length Longueur | Colata Schmelze Heat Coulée | Pezzi Stückzahl Pieces Pièces | Peso - LB Gewicht Weight Poids | Lotto nr. Losnr. Lot nr. Lot nr. |
|-------------------------------------------------|-------------------------------------------------------------------|----------------------------------------------------------|-----------------------------------------------|--------------------------------------|----------------------------------------|-----------------------------------------|-------------------------------------------|
| 0020 | Flat | 3,0000 x 0,6250 | 144 / 154 | 264347 | | 2,754 | 410606850 |

TEST ALLO STATO DI FORNITURA
Test on delivery condition Prüfung auf Lieferbereitem produkt test a l'état de fourniture Prueba sobre el material así como entregado

| TEST | Proveilla/Probensatz Specimen/Eprouvette Long. diam. Thick. Befest. Diam. Dicks. Werkb. Diam. Thickness Long. diam. Thick. | Posiz. Stagge Position Lage | Snervamento Zugversuch Tensile Stress Yield Stress Limita snervante Rp 0,2% k.s.i. | Snervamento Zugversuch Yield Stress Limita snervante Rp 0,2% k.s.i. | Resistenza Zugfestigkeit Tensile strength Resistance à traction Rm k.s.i. | Allungamento Zugversuch Elongation Allongement E 4d % | Strizione Zugversuch Reduction of area Striction RA % | Resistenza Kerbschlagversuch Impact Value Resistance HB | Durezza Härte Hardness Dureza HB |
|--------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------|------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|----------------------------------------------------------------------|----------------------------------------------------------------------|---------------------------------------------------------------------|----------------------------------------------|
| Valori richiesti 1 Anforderungen/Requisit values Valeurs dimensionnelles | min max | | 30 | - | 75 115 | - 40 | - 50 | - | 140 235 |
| A | 12,5 | 68 L | 47 | | 90 | 54 | 70 | | 185 |

| TEST | min | max |
|----------------------------|-----|-----|
| A Grain size for ASTM E112 | | 6 |

1) L=longitudinale/longs, T=transversale/quers, Q=Transversale/quers

Analisi chimica

Chemische Zusammensetzung/Chemical Analysis/Analyse chimique

| Colata/Heat Schmelze/Coulée | min max | 0,030 | 1,00 | 2,00 | 18,00 20,00 | 1,00 | 1,00 | 8,00 10,50 | - | 0,040 | 0,020 0,030 | 0,100 | - | - | - | - |
|--------------------------------|------------|-------|------|-------|----------------|------|------|---------------|-------|-------|----------------|-------|---|---|---|---|
| C % | 0,020 | 0,43 | 1,73 | 18,22 | 0,78 | 0,55 | 8,06 | 0,103 | 0,030 | 0,027 | 0,097 | | | | | |
| Si % | | | | | | | | | | | | | | | | |
| Mn % | | | | | | | | | | | | | | | | |
| Cr % | | | | | | | | | | | | | | | | |
| Mo % | | | | | | | | | | | | | | | | |
| Cu % | | | | | | | | | | | | | | | | |
| Ni % | | | | | | | | | | | | | | | | |
| Co % | | | | | | | | | | | | | | | | |
| P % | | | | | | | | | | | | | | | | |
| S % | | | | | | | | | | | | | | | | |
| N % | | | | | | | | | | | | | | | | |

Produced without class I-II Ozone depleting substances.
Solution heat treated free from continuous carbide network.
Annealing temperature: 1940°F for 1 h/water.
Micro and macro etch test: OK
Reduction ratio > 4 : 1
Intergranular corrosion test per ASTM A262 pract. E: ok.
Absence of cracks at 20 x magnification after bend test.

Vicenza, 04/07/14

VCC008
(Mod. MCE2)

il collaudatore di stabilimento / der Werksachverständiger / Works Inspector / L'agent d'usine

M. Rizzotto

Pagina - 1 di 2

Acciaierie Valbruna S.p.A.



CERTIFICATO DI COLLAUDO
ABNAHMEPRUEFZEUGNIS
INSPECTION CERTIFICATE
CERTIFICAT DE RECEPTION
EN 10204 (2004) , 3.1

36100 VICENZA (Italia) - Viale della scienza, 25 z.l.
Stab.: 39100 BOLZANO (Italia) - Via A. Volta, 4
Telephone number : 0039 (0) 444968211

Cliente / Besteller/Purchaser/Clien
VALBRUNA CANADA LTD
8724 HOLGATE CRESCENT
L5T 5Z1-MILTON, ONT L5T 5Z1-CA

Produttore: **ACCIAIERIE VALBRUNA S.P.A.**
Hersteller/Usine productrice

QUALITY MANAGEMENT SYSTEM CERTIFIED BY LLOYD'S REGISTER

Avviso di Spedizione: D-VI14022348
Lieferanzge/Packing list/B.L.

Ordine nr: 404004726 Stock - Canada
Bestell/Your order/Commande

Certificato nr: MEST544511/2014/
Prüfung/Test/Essai

Conferma ordine nr: E114004333
Werkz/Our Order/Pol nr.

Marchio di Fabbrica:
Zeichen des Lieferanten/
Trade mark
Sigle de l'usine productrice



Stato di fornitura: Hot rolled Descaled Annealed Hot rolled
Lieferzustand/Delivery state/Etat de livraison

Tipo di Elaborazione: E+AOD
Erschneizungsauf/Making process/Mode d'elaboration

Punzone del Collaudatore:
Stempel des Werksschwerständigen
Inspector's stamp/Pointon de l'essayeur



Material is DFARS Compliant

Sono state soddisfatte tutte le condizioni richieste
Die gestellten Anforderungen sind erfüllt
The material has been furnished in accordance with the requirements
Le matériel a été fourni conformément aux exigences

Controllo antimescolanza: OK
Verwechslungsprüfung: spektroskopisch durchgeführt/
Antimixing testing performed: OK
Controlle antimesclange fait: r.a.s.

Controllo visivo e dimensionale: soddisfa le esigenze
Besichtigung und Ausmessung: ohne Beanstandung
Visual inspection and dimensional checks: satisfactory
Contrôle visuel et dimensionnel: satisfaisant

Melted and manufactured in Italy No welding or weld repair Material free from Mercury contamination

We declare that the finished product is checked for radioactive contamination through Portal System when it leaves the production plant.

The Quality Management System is Certified acc. Pressure Equipment Directive [97/23/EC] Annex 1, s.4.3 by TÜV and LLOYD'S

Any act of tampering, modification, alteration, counterfeiting and/or falsification and/or any other action which modifies the contents of this test certificate shall constitute a violation of applicable civil and criminal laws. Acciaierie Valbruna shall protect its rights and interests before any competent court, authority and jurisdiction.

The supplied product conforms to requirements expressly requested by the purchaser and conforms to requirements specified by certified norms and standards. Should the product be used for more severe, critical and/or in any case different applications than those the material is generally intended for, any different and/or supplementary requirements shall be specifically demanded, at least, upon order of the Product by the Purchaser. Acciaierie Valbruna SpA shall not be responsible for any improper use of the Products.

Vicenza, 04/07/14
VCO008
(Mod. MCE2)

Il collaudatore di stabilimento / der Werkssachverständige / Works Inspector / L' agent d' usine

M. Rizzotto

Pagina - 2 di 2

CSS-1

66567

泰州市恒达新型复合材料有限公司

JIANGSU STEEL GROUP CO., LIMITED

质量证明书 (TEST REPORT)

编号: JSSG201505157008

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------------|------------------|-----------|----------------|-------------------------------------------------------------------------------------------------------------------|------------------------|------------------------|-------------------------------------------------------|-------|-------|------|-------|-------|-------|------|------|------------------------------|----|--------------------------|----------------------------------|--------------|---------------------------------|-------------|-------------------------|---|---------------------------------------------------------|--|
| 订单单位 CUSTOMER | | | | Canada INC. o/a Distribution SMS | | | | | | | | | | | | | | | | | | | | | | |
| 收货单位 PURCHASER | | | | Canada INC. o/a Distribution SMS | | | | | | | | | | | | 代号 CUSTOMER'S NO. | | JSSG2-0513 | | | | | | | | |
| 技术标准 SPECIFICATION | | | | ASTM A176 | | | | | | | | | | | | 客户订单编号 CUSTOMER ORDER NO. | | JSSG201504177006A | | | | | | | | |
| | | | | 签发日期 DATE OF ISSUE | | | | | | | | | | | | 2015.05.15 | | 交货日期 DATE OF DELIVERY | | 2015.05.18 | | | | | | |
| 产品规格 PRODUCT | 交货状态 DELIVERY | 序号 NO. | 炉号 HEAT NO. | 规格及重量 MATERIAL DESCRIPTION | | | 化学成分 (CHEMICAL COMPOSITION %) (熔体分析 HEAT ANALYSIS) | | | | | | | | | | | | 拉伸试验 TENSILE TEST (GL-A.3) | | 冲击试验 IMPACT TEST (GL-A.3) | | 硬度 HARDNESS (HRC) | | 试样处理 THE SAMPLING TECHNOLOGY OF HEAT TREATMENT | |
| | | | | 规格尺寸 PRODUCT SIZE (Inch) | 长度 Length (Feet) | 重量 MASS (lbs) | C | Si | Mn | P | S | Ni | Cr | Mo | Ti | N | Cu | 屈服强度 Y.S. | 抗拉强度 T.S. | 夏比冲击 F.M. | 布氏硬度 B.H.N. | 洛氏硬度 HRC | 试样处理 | | | |
| Stainless steel Angle Bar | Hot rolled | 1 | 304L | JSSG1508 | 1" X 1" X 1/8" | 20' | 2529 | 0.019 | 0.33 | 1.15 | 0.022 | 0.009 | 0.26 | 18.5 | / | / | / | / | 315 | 632 | / | / | / | | | |
| | | 2 | 304L | | 1-1/2" X 1-1/2" X 1/8" | 20' | 3590 | 0.012 | 0.37 | 1.26 | 0.031 | 0.015 | 0.24 | 18.7 | / | / | / | / | 248 | 551 | / | / | / | | | |
| | | 3 | 304L | | 2" X 2" X 1/8" | 20' | 1534 | 0.015 | 0.31 | 1.25 | 0.027 | 0.011 | 0.21 | 18.4 | / | / | / | / | 233 | 540 | / | / | / | | | |
| | | 4 | 304L | | 1" X 1" X 3/16" | 20' | 1021 | 0.020 | 0.35 | 1.29 | 0.019 | 0.017 | 0.27 | 18.3 | / | / | / | / | 256 | 562 | / | / | / | | | |
| | | 5 | 304L | | 2" X 2" X 3/16" | 20' | 2551 | 0.018 | 0.36 | 1.22 | 0.026 | 0.012 | 0.32 | 19.2 | / | / | / | / | 347 | 659 | / | / | / | | | |
| | | 6 | 304L | | 1" X 1" X 1/4" | 20' | 1034 | 0.021 | 0.40 | 1.30 | 0.018 | 0.015 | 0.23 | 18.5 | / | / | / | / | 338 | 641 | / | / | / | | | |
| | | 7 | 304L | | JSSG1511 | 1-1/4" X 1-1/4" X 1/4" | 20' | 1049 | 0.023 | 0.35 | 1.27 | 0.027 | 0.013 | 0.11 | 18.7 | / | / | / | / | 245 | 589 | / | / | / | | |
| | | 8 | 304L | | 2" X 2" X 1/4" | 20' | 9162 | 0.026 | 0.36 | 1.23 | 0.035 | 0.020 | 0.17 | 18.2 | / | / | / | / | 283 | 610 | / | / | / | | | |
| | | 9 | 304L | | JSSG1505 | 3" X 3" X 1/2" | 20' | 3538 | 0.022 | 0.45 | 1.26 | 0.033 | 0.016 | 0.21 | 18.3 | / | / | / | / | 322 | 640 | / | / | / | | |
| | | 10 | 304L | | 4" X 4" X 1/4" | 20' | 2017 | 0.017 | 0.38 | 1.22 | 0.029 | 0.012 | 0.15 | 18.1 | / | / | / | / | 331 | 653 | / | / | / | | | |
| | | 11 | 316L | | JSSG1512 | 2" X 2" X 1/4" | 20' | 3042 | 0.019 | 0.33 | 1.28 | 0.034 | 0.017 | 0.22 | 16.5 | 2.20 | / | / | / | 273 | 596 | / | / | / | | |
| Stainless steel Square Bar | Cold drawn | 27 | 304 | JSSG201505157008 | 0.80 1/2" | 12' | 2518 | 0.042 | 0.36 | 1.19 | 0.037 | 0.018 | 0.35 | 18.2 | / | / | / | / | 589 | 759 | / | / | / | | | |
| | | 28 | 304 | | 1" | 12' | 1010 | 0.039 | 0.39 | 1.25 | 0.034 | 0.013 | 0.31 | 18.7 | / | / | / | / | 632 | 802 | / | / | / | | | |
| | | 29 | 304 | | 1" | 12' | 995 | 0.046 | 0.32 | 1.27 | 0.038 | 0.011 | 0.36 | 18.5 | / | / | / | / | 611 | 783 | / | / | / | | | |
| 审定员: SURVEYOR TO | | | | 2015.05.15 | | | | | | | | | | | | | | | | | | | | | | |
| QC manager | | | | 本产品已按上述要求制造和检验,其质量符合要求,特此证明。 This product has been manufactured and tested accordingly, I hereby certify that. | | | | | | | | | | | | | | | | | | | | | | |

合格
Qualified

QC DEPT



North American Stainless Canada Inc.
740 Imperial Road North
Guelph, ON N1K1Z3
Canada

METALLURGICAL TEST REPORT

740 Imperial Road North

Certificate: 986654 1 Mail To:

Ship To:

Date: 9/16/2014 Page: 1

Customer: 007025 003

Steel: 304/304L

Finish: CD

Corrosion: ASTM A262-10 Prac A/E OK

Your Order: C15295-REV NAS Order: PN 0043326 01

PRODUCT DESCRIPTION:

Round Bar, Annealed, Cold Draw
UNS-30400/30403 EN 10204 3.1, ASTM A484/13a
ASTM A276/13, ASTM A679/13a, ASTM A182/13 CHEM ONLY
ASME SA479/13, ASME SA182/10 CHEM ONLY
AMS 5639H, AMS 5647J, AMS QQS-763B, QQS-763F, ASTM A899/11
SOLUTION ANNEAL TEMP 1900F MIN, ASTM A320/08 CL 1 GR B8
ASTM A193/10A-ASME SA193/10 CL 1 GR B8

REMARKS:

COMPLIES W/REQUIREMENTS OF DPAF 252.225-7009 EU DIRECTIVE
2011/65/EU. ROHS. EAP+AOD+CC. NO WELD REPAIR. MELTED AND MFG
IN USA FREE FROM MERCURY AND LOW MELTING ALLOY CONTAMINATION

2091058

| Product Id | Skid # | Diameter | Size | Weight | Length | Mark | Pieces | Commodity Code |
|------------|--------|----------|------|--------|--------|------|--------|----------------|
| BG5475 5 | | .3750 | | 2.229 | 144.00 | 1 | 1 | 013861 |

CHEMICAL ANALYSIS CM(Country of Melt) ES(Spain) US(United States) ZA(South Africa) JP(Japan) Chemical Analysis per ASTM A751/08

| HEAT | CM | C % | CO % | CR % | CU % | MN % | MO % | N % | NI % | P % |
|------|-----|-------|-------|---------|-------|--------|-------|-------|--------|-------|
| M8B5 | US | .0149 | .1530 | 18.0480 | .4365 | 1.3480 | .3115 | .0750 | 8.5010 | .0320 |
| | S % | .0225 | | SI % | | | | | | |
| | | | | | | | | | | |

MECHANICAL PROPERTIES

| Product Id | 1 d o i c r | HB | .2YS KSI | UTS KSI | RA % | Elong % 2" |
|------------|-------------------|-------|-------------|------------|-------|---------------|
| BG5475 5 | R L | 201.0 | 78.89 | 100.52 | 73.92 | 46.10 |

NAS hereby certifies that the analysis on this certification is correct. Based upon the results and the accuracy of the test methods used, the material meets the specifications stated. These results relate only to the items tested and this report cannot be reproduced, except in its entirety, without the written approval of NAS.

Technical
Dept. Mgr.

ABHIJEET BHAVE

9/16/2014

60582

Test de dureté Rockwell Rockwell Hardness Test

Client / Customer : **LES ACIERS TRANSBEC (1997) LTEE.**

Adresse / Address : **4054 BOUL. LE CORBUSIER, #201
LAVAL, QC
H7L5R2**

commande Sapa / Sapa order # : **4060221**

bon de commande / Purchase order # : **OU-42589**

de matrice / Die # : **MS 9907**

Description : **5/8" DIA ROD**

Alliage & trempage / Alloy & temper : **6061 T6** Longueur / Length : **6096 MM**

de contrôle / Control # : **20744-2**

de coulée / Cast # :

60245

DAS

9

9-89

Dureté Rockwell E /
Rockwell E hardness : **92 HRE**

Min. requis /
Min. required : **88 HRE**

Max. permis /
Max. permitted : **100 HRE**

Composition chimique typique / Typical chemical composition :

| | Si | Fe | Cu | Mn | Mg | Cr | Zn | Ti |
|-------|-------------|-------------|-------------|-------------|-------------|-------------|----------|----------|
| 6063 | 0.20 - 0.60 | 0.35 Max | 0.10 Max | 0.10 Max | 0.45 - 0.90 | 0.10 Max | 0.10 Max | 0.10 Max |
| 6005 | 0.60 - 0.90 | 0.35 Max | 0.10 Max | 0.10 Max | 0.40 - 0.60 | 0.10 Max | 0.10 Max | 0.10 Max |
| 6005A | 0.66 - 0.74 | 0.14 - 0.28 | 0.08 - 0.16 | 0.18 - 0.26 | 0.46 - 0.54 | 0.03 Max | 0.05 Max | 0.05 Max |
| 6061 | 0.40 - 0.80 | 0.70 Max | 0.15 - 0.40 | 0.15 Max | 0.80 - 1.20 | 0.04 - 0.35 | 0.25 Max | 0.15 Max |
| 6351 | 0.7 - 1.3 | 0.5 Max | 0.10 Max | 0.40 - 0.80 | 0.40 - 0.80 | — | 0.20 Max | 0.20 Max |

Nous certifions que le matériel fourni rencontre les exigences chimiques telles qu'annoncées par la norme ASTM B-221-08 excepté pour la section 8.2 (nombre de spécimen) .

We hereby certify that the material supplied meets the chemical properties as published by the ASTM B-221-08 except for section 8.2 (number of specimen) .

Sincèrement vôtre,
Yours truly,

date : **2014-07-11**



6058

BON DE LIVRAISON

6518
②

VENDU A
ACIERS TRANSBEC (1997) LTÉE
4054, BOUL. LE CORBUSIER
#201
LAVAL, QC
H7L 5R2
NO CLIENT: 3693

LIVRÉ A
NO CLIENT: L-3693-3

| | |
|---------------------|----------------------------|
| NO DU BON | DATE DE LIVRAISON |
| 105251 | 30/Jul/15 |
| NIR: | NO DE TELEPHONE DU CLIENT: |
| R-015478-2 | |
| NO COMMANDE CLIENT: | REPRESENTANT: |
| OU-44186 | |
| CHAUFFEUR: | |

| NO ITEM | NO DE FILIERE | NO PIÈCE CLIENT | DESCRIPTION ALLIAGE / TREMPAGE | LONGUEUR | FINITION | COMMANDE CLIENT | A VENIR | NO TICKET | EN LIVRAISON | % | OK |
|---------|---------------|-----------------|-------------------------------------|----------|-----------------|----------------------------|------------------------|-----------|--------------|--------|-------------------------------------|
| 18 | SA00678 | | TIGE RONDE 3/4" 6061/T6 AL-54 | 6096mm | NATUREL MILL | NB PIÈCES KILOS 104 500 | NB PIÈCES KILOS 0 0 | 349707 | 119 551 | 100.0% | <input checked="" type="checkbox"/> |
| | | | | | | | Sous-Total: | 1 | 119 551 | | |

MILL TEST (Tensile Properties of Aluminum)

| Order No. | Alloy | Yield (ksi) | Ultimate Tensile (ksi) | Total Elongation (%) | Hardness (Rockwell E) | Test Date: 17/Jul/15 | Report No.: 3839 |
|--------------|-------|-------------|------------------------|----------------------|-----------------------|----------------------|------------------|
| 93532-18-1A1 | 6061 | 33.5 | 42.4 | 20.85 | 90.50 | | |
| | | | | | | 3645 | |

Certificate of Compliance (Certificat de conformité)

Normes: (ANSI H35.1-1997) & (ASTM B221)

| Order No. | Hardness (Webster) | Cast No. | CAST CHEMICAL COMPOSITION: | Test No. |
|--------------|--------------------|----------|--------------------------------------------------------|----------|
| 93532-18-1A1 | #1 #2 | 29218 | Al Si Fe Cu Mn Mg Cr Ni Zn Ti Ga V B Zr Bi Pb Sn Sr Co | 9 |
| | | | | 9.89 |

AVISER SANS FAUTE.

1 HEURES AVANT LA LIVRAISON POUR CONFIRMER AVEC LE CLIENT

| | | |
|---------------------|------|-------|
| TOTAL EN LIVRAISON: | 2418 | 11830 |
|---------------------|------|-------|

1 bdl 25 Jfk

RÉCEPTION

DATE 30-07-2015

VÉRIFIÉ PAR

SIGNATURE
CLIENT:

DATE:

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M10105186A
 DATE: 15-11-11

PO / BATCH NO.: P030311 / M133560

MATERIAL CERT REC'D: yes
 QUANTITY RECEIVED: 2 sheet
 QUANTITY INSPECTED: 2 sheet
 QUANTITY REJECTED: 0

THICKNESS ORDERED: .043
 THICKNESS RECEIVED: .043
 SHEET SIZE ORDERED: 4' x 8'
 SHEET SIZE RECEIVED: 4' x 8'

| DESCRIPTION | NCR (Check Y/N) | | COMMENTS |
|-------------------------------------------------|--------------------|-----|------------|
| SURFACE DAMAGE | Y | (N) | |
| CORRECT FINISH | (Y) | N | |
| CORROSION | Y | (N) | |
| CORRECT GRAIN DIRECTION | (Y) | N | |
| CORRECT MATERIAL | (Y) | N | |
| CORRECT THICKNESS | (Y) | N | |
| PHOTO REQUIRED | Y | (N) | |
| CORRECT MATERIAL | (Y) | N | |
| CORRECT REF # TO LINK CERT | (Y) | N | HT# 765136 |
| CORRECT MATERIAL IDENTIFICATION | (Y) | N | |
| CORRECT M# ON THE MATERIAL | (Y) | N | M133560 |
| DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF | Y | (N) | |
| DOES THIS REQUIRE AN EXTRUSION REPORT | Y | (N) | |

| CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW | | | | | |
|------------------------------------------------------------------------------------|-----|-----|-------|-------|--|
| TYPE OF MATERIAL SIZE OF TEST SAMPLE HARDNESS / DUROMETER READING | HRC | HRB | DUR A | DUR D | |
| | | | | | |
| | | | | | |

testers located in the Quality Office

| QC 18 INSPECTION | ENGINEERING SIGNOFF (if required) |
|-----------------------------------------------------|-------------------------------------|
| INSPECTED BY: <u>DAS 9</u> DATE: <u>15-11-11</u> | SIGNED OFF BY: _____ DATE: _____ |

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: H2024TBS.050
 DATE: 15-11-11

PO / BATCH NO.: P030311 / M133560

MATERIAL CERT REC'D: yes
 QUANTITY RECEIVED: 050
 QUANTITY INSPECTED: 050
 QUANTITY REJECTED: 0

THICKNESS ORDERED: .050"
 THICKNESS RECEIVED: .050"
 SHEET SIZE ORDERED: 48 sq ft
 SHEET SIZE RECEIVED: 48 sq ft

| DESCRIPTION | NCR (Check Y/N) | | COMMENTS |
|-------------------------------------------------|--------------------|-----|-----------|
| SURFACE DAMAGE | Y | (N) | |
| CORRECT FINISH | (Y) | N | |
| CORROSION | Y | (N) | |
| CORRECT GRAIN DIRECTION | (Y) | N | |
| CORRECT MATERIAL | (Y) | N | |
| CORRECT THICKNESS | (Y) | N | |
| PHOTO REQUIRED | Y | (N) | |
| CORRECT MATERIAL | (Y) | N | |
| CORRECT REF # TO LINK CERT | (Y) | N | HT# 63963 |
| CORRECT MATERIAL IDENTIFICATION | (Y) | N | |
| CORRECT M# ON THE MATERIAL | (Y) | N | |
| DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF | Y | (N) | |
| DOES THIS REQUIRE AN EXTRUSION REPORT | Y | (N) | |

| CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW | | | | | |
|------------------------------------------------------------------------------------|-----|-----|-------|-------|--|
| TYPE OF MATERIAL SIZE OF TEST SAMPLE HARDNESS / DUROMETER READING | HRC | HRB | DUR A | DUR D | |
| | | | | | |
| | | | | | |

testers located in the Quality Office

| | |
|----------------------------------------------------|------------------------------------------|
| QC 18 INSPECTION | ENGINEERING SIGNOFF (if required) |
| INSPECTED BY: <u>9-89</u> DATE: <u>15-11-11</u> | SIGNED OFF BY: _____ DATE: _____ |

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M304B1.000x1.000
 DATE: 15-11-11

PO / BATCH NO.: P030311/M133560

MATERIAL CERT REC'D: yes
 QUANTITY RECEIVED: 12'
 QUANTITY INSPECTED: 12'
 QUANTITY REJECTED: 0

THICKNESS ORDERED: 1.00"
 THICKNESS RECEIVED: 1.00"
 SHEET SIZE ORDERED: N/A
 SHEET SIZE RECEIVED: N/A

| DESCRIPTION | NCR (Check Y/N) | COMMENTS |
|----------------------------------------------------|-----------------------|--------------|
| SURFACE DAMAGE | Y (N) | |
| CORRECT FINISH | (Y) N | |
| CORROSION | Y (N) | |
| CORRECT GRAIN DIRECTION | (Y) N | |
| CORRECT MATERIAL | (Y) N | |
| CORRECT THICKNESS | (Y) N | |
| PHOTO REQUIRED | Y (N) | |
| CORRECT MATERIAL | (Y) N | |
| CORRECT REF # TO LINK CERT | (Y) N | 4T# 355G2016 |
| CORRECT MATERIAL IDENTIFICATION | (Y) N | |
| CORRECT M# ON THE MATERIAL | (Y) N | |
| DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF | Y (N) | |
| DOES THIS REQUIRE AN EXTRUSION REPORT | Y (N) | |

| CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW | | | | | |
|------------------------------------------------------------------------------------|-----|-----|-------|-------|--|
| TYPE OF MATERIAL | HRC | HRB | DUR A | DUR D | |
| SIZE OF TEST SAMPLE | | | | | |
| HARDNESS / DUROMETER READING | | | | | |

testers located in the Quality Office

| QC 18 INSPECTION | | ENGINEERING SIGNOFF (if required) | |
|-----------------------------------------------------|----------------------|-----------------------------------|--|
| INSPECTED BY: <u>DAS</u> <u>9</u> <u>9-89</u> | SIGNED OFF BY: _____ | | |
| DATE: <u>15-11-11</u> | DATE: _____ | | |

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M304 B0.625 x 3.000"

PO / BATCH NO.: P030311 / M133560

DATE: 15-11-11

MATERIAL CERT REC'D: yes

THICKNESS ORDERED: .625"

QUANTITY RECEIVED: 12'

THICKNESS RECEIVED: .650"

QUANTITY INSPECTED: 12'

SHEET SIZE ORDERED: N/A

QUANTITY REJECTED: 0

SHEET SIZE RECEIVED: N/A

| DESCRIPTION | NCR (Check Y/N) | COMMENTS |
|----------------------------------------------------|-----------------------------------------------------------------------|------------|
| SURFACE DAMAGE | <input checked="" type="radio"/> Y <input checked="" type="radio"/> N | |
| CORRECT FINISH | <input checked="" type="radio"/> Y <input checked="" type="radio"/> N | |
| CORROSION | <input checked="" type="radio"/> Y <input checked="" type="radio"/> N | |
| CORRECT GRAIN DIRECTION | <input checked="" type="radio"/> Y <input checked="" type="radio"/> N | |
| CORRECT MATERIAL | <input checked="" type="radio"/> Y <input checked="" type="radio"/> N | |
| CORRECT THICKNESS | <input checked="" type="radio"/> Y <input checked="" type="radio"/> N | Acceptable |
| PHOTO REQUIRED | <input checked="" type="radio"/> Y <input checked="" type="radio"/> N | |
| CORRECT MATERIAL | <input checked="" type="radio"/> Y <input checked="" type="radio"/> N | |
| CORRECT REF # TO LINK CERT | <input checked="" type="radio"/> Y <input checked="" type="radio"/> N | |
| CORRECT MATERIAL IDENTIFICATION | <input checked="" type="radio"/> Y <input checked="" type="radio"/> N | |
| CORRECT M# ON THE MATERIAL | <input checked="" type="radio"/> Y <input checked="" type="radio"/> N | |
| DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF | <input checked="" type="radio"/> Y <input checked="" type="radio"/> N | |
| DOES THIS REQUIRE AN EXTRUSION REPORT | <input checked="" type="radio"/> Y <input checked="" type="radio"/> N | |

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK.
RECORD RESULTS BELOW

| TYPE OF MATERIAL | HRC | HRB | DUR A | DUR D |
|------------------------------|-----|-----|-------|-------|
| SIZE OF TEST SAMPLE | | | | |
| HARDNESS / DUROMETER READING | | | | |

testers located in the Quality Office

| | |
|----------------------------------------------------|------------------------------------------|
| QC 18 INSPECTION | ENGINEERING SIGNOFF (if required) |
| INSPECTED BY: <u>9-89</u> DATE: <u>15-11-11</u> | SIGNED OFF BY: _____ DATE: _____ |

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

MATERIAL: MOBIT 620.750
DATE: 15-11-11

MATERIAL CERT REC'D: yes
 QUANTITY RECEIVED: 20'
 QUANTITY INSPECTED: 20'
 QUANTITY REJECTED: 0

| DESCRIPTION | NCR (Check Y/N) | | COMMENTS |
|----------------------------------------------------|-----------------------|---|----------------------------|
| SURFACE DAMAGE | Y | N | |
| CORRECT FINISH | Y | N | |
| CORROSION | Y | N | |
| CORRECT GRAIN DIRECTION | Y | N | |
| CORRECT MATERIAL | Y | N | |
| CORRECT THICKNESS | Y | N | |
| PHOTO REQUIRED | Y | N | |
| CORRECT MATERIAL | Y | N | |
| CORRECT REF # TO LINK CERT | Y | N | HY# 27218 27218 |
| CORRECT MATERIAL IDENTIFICATION | Y | N | |
| CORRECT M# ON THE MATERIAL | Y | N | |
| DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF | Y | N | |
| DOES THIS REQUIRE AN EXTRUSION REPORT | Y | N | |

| | | | | | |
|------------------------------------------------------------------------------------|-----|-----|-------|-------|--|
| CUT SAMPLE PIECE OF MATERIAL AND PERFORM A HARDNESS CHECK. RECORD RESULTS BELOW | | | | | |
| TYPE OF MATERIAL SIZE OF TEST SAMPLE HARDNESS / DUROMETER READING | HRC | HRB | DUR A | DUR D | |
| | | | | | |
| | | | | | |

| QC 18 INSPECTION | ENGINEERING SIGNOFF (if required) |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------|
| INSPECTED BY: <u> DAS </u> <div style="text-align: center; margin-top: -10px;">9</div> DATE: <u> a. 39 15-11-11 </u> | SIGNED OFF BY: _____ DATE: _____ |

H:\FORMS\Quality Assurance\approved QA\MRIF Material Receipt Inspection Form revB

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M201 R.375
 DATE: 15-11-11

PO / BATCH NO.: P030311 / M133560

MATERIAL CERT REC'D: yes
 QUANTITY RECEIVED: 12'
 QUANTITY INSPECTED: 12'
 QUANTITY REJECTED: 0

THICKNESS ORDERED: .375
 THICKNESS RECEIVED: .375
 SHEET SIZE ORDERED: 0/A
 SHEET SIZE RECEIVED: 0/A

| DESCRIPTION | NCR (Check Y/N) | | COMMENTS |
|-------------------------------------------------|--------------------|-----|----------|
| SURFACE DAMAGE | Y | (N) | |
| CORRECT FINISH | (Y) | N | |
| CORROSION | Y | (N) | |
| CORRECT GRAIN DIRECTION | (Y) | N | |
| CORRECT MATERIAL | (Y) | N | |
| CORRECT THICKNESS | (Y) | N | |
| PHOTO REQUIRED | Y | (N) | |
| CORRECT MATERIAL | (Y) | N | |
| CORRECT REF # TO LINK CERT | (Y) | N | HT# M2B5 |
| CORRECT MATERIAL IDENTIFICATION | (Y) | N | |
| CORRECT M# ON THE MATERIAL | (Y) | N | |
| DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF | Y | (N) | |
| DOES THIS REQUIRE AN EXTRUSION REPORT | Y | (N) | |

| CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW | | | | | |
|------------------------------------------------------------------------------------|-----|-----|-------|-------|--|
| TYPE OF MATERIAL SIZE OF TEST SAMPLE HARDNESS / DUROMETER READING | HRC | HRB | DUR A | DUR D | |
| | | | | | |
| | | | | | |

testers located in the Quality Office

| QC 18 INSPECTION | ENGINEERING SIGNOFF (if required) |
|-----------------------------------------------------|-------------------------------------|
| INSPECTED BY: <u>DAS 9</u> DATE: <u>15-11-11</u> | SIGNED OFF BY: _____ DATE: _____ |

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M160617680.625
 DATE: 15-11-11

PO / BATCH NO.: 8030311/M13562

MATERIAL CERT REC'D: yes
 QUANTITY RECEIVED: 20'
 QUANTITY INSPECTED: 20'
 QUANTITY REJECTED: 0

THICKNESS ORDERED: .625"
 THICKNESS RECEIVED: .625"
 SHEET SIZE ORDERED: N/A
 SHEET SIZE RECEIVED: N/A

| DESCRIPTION | NCR (Check Y/N) | | COMMENTS |
|-------------------------------------------------|------------------------------------|------------------------------------|-------------|
| SURFACE DAMAGE | Y | <input checked="" type="radio"/> N | |
| CORRECT FINISH | <input checked="" type="radio"/> Y | N | |
| CORROSION | Y | <input checked="" type="radio"/> N | |
| CORRECT GRAIN DIRECTION | <input checked="" type="radio"/> Y | N | |
| CORRECT MATERIAL | <input checked="" type="radio"/> Y | N | |
| CORRECT THICKNESS | <input checked="" type="radio"/> Y | N | |
| PHOTO REQUIRED | Y | <input checked="" type="radio"/> N | |
| CORRECT MATERIAL | <input checked="" type="radio"/> Y | N | |
| CORRECT REF # TO LINK CERT | <input checked="" type="radio"/> Y | N | HIT # 60245 |
| CORRECT MATERIAL IDENTIFICATION | <input checked="" type="radio"/> Y | N | |
| CORRECT M# ON THE MATERIAL | <input checked="" type="radio"/> Y | N | |
| DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF | Y | <input checked="" type="radio"/> N | |
| DOES THIS REQUIRE AN EXTRUSION REPORT | Y | <input checked="" type="radio"/> N | |

| CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW | | | | | |
|------------------------------------------------------------------------------------|-----|-----|-------|-------|--|
| TYPE OF MATERIAL SIZE OF TEST SAMPLE HARDNESS / DUROMETER READING | HRC | HRB | DUR A | DUR D | |
| | | | | | |
| | | | | | |

testers located in the Quality Office

| QC 18 INSPECTION | ENGINEERING SIGNOFF (if required) |
|-----------------------------------------------------|-------------------------------------|
| INSPECTED BY: <u>DAS 9</u> DATE: <u>15-11-11</u> | SIGNED OFF BY: _____ DATE: _____ |

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO30311**

Purchase Order Date 10/29/2015

PO Print Date 10/29/2015

Page Number 1 of 4

Order From :

VC-CAM002

CAMPI STEEL
935 BOUL. DU HAVRE
VALLEYFIELD, QC J6S 5L1
CA

Ship To : DART AEROSPACE LTD

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

FAXED

Contact Name

Vendor Phone 800 667 4248

Ship To Contact

Ship To Phone

Ship Via: Yours ppd

Ship Acct:

Buyer

Chantal Lavoie

Customer POID

Customer Tax #

10127-2607

Terms

Net 30

Currency

CAD

FOB

FCA - (Free Carrier)

| Line Nbr | Reference Vendor Part Number Line Comments Delivery Comments | Description/ Mfg ID | Req Date/ Taxable Promise Date | CD | Req Qty/ Unit of Measure | PO Unit Price | Extended Price |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------|------------------------|--------------------------------------|----|--------------------------------|---------------|-------------------|
| 1 | M1010S18GA | 1010/1025 SHEET .048 | 11/4/2015 Yes 11/4/2015 | | 64.00 sf | \$1.58 | \$101.06 |
| MATERIAL: AISI 1010-1025 OR ASTM A36/A366/A1008 OR CSA G40-21, 38W/44W/50W/60W/70W MINIMUM YIELD TENSILE STRENGTH = 28KSI MINIMUM ULTIMATE TENSILE STRENGTH = 42 KSI COLD ROLLED | | | | | | | |
| Line Total: | | | | | | | \$101.06 |
| 2 | M2024T3S.050 | 2024-T3 .050 sheet | 11/4/2015 Yes 11/4/2015 | | 48.00 sf | \$7.70 | \$369.60 |
| MATERIAL: 2024-T3 ALUMINUM SHEET AS PER QQ-A-250/4 OR AMS-QQ-A-250/4 OR AMS 4037 OR ASTM B209 | | | | | | | |
| Line Total: | | | | | | | \$369.60 |

Note:

10/29/2015



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO30311**

Purchase Order Date 10/29/2015

PO Print Date 10/29/2015

Page Number 2 of 4

Order From :

VC-CAM002

CAMPI STEEL
935 BOUL. DU HAVRE
VALLEYFIELD, QC J6S 5L1
CA

Ship To : DART AEROSPACE LTD

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name

Vendor Phone 800 667 4248

Ship To Contact

Ship To Phone

Ship Via: Yours ppd

Ship Acct:

Buyer

Chantal Lavoie

Customer POID

Customer Tax # 10127-2607

Terms

Net 30

Currency

CAD

FOB

FCA - (Free Carrier)

| | | | | | | |
|---|-------------------|-----------------|-------------------------------|------------|---------|----------|
| 3 | M303B1.000X03.000 | 303 BAR 1" X 3' | 11/4/2015 Yes 11/4/2015 | 12.00 f | \$76.36 | \$916.35 |
|---|-------------------|-----------------|-------------------------------|------------|---------|----------|

MATERIAL: AISI 303 SS BAR AS PER ASTM A582
NOTE: AISI 304/316 NOT ACCEPTABLE

Line Total: \$916.35

| | | | | | | |
|---|------------|--------------------|-------------------------------|--------------|--------|---------|
| 5 | M303R1.000 | 303 Round Bar 1.00 | 11/4/2015 Yes 11/4/2015 | 12.00 ✓ f | \$8.00 | \$96.00 |
|---|------------|--------------------|-------------------------------|--------------|--------|---------|

MATERIAL: AISI 303 SS ROUND BAR AS PER ASTM A582

NOTE: AISI 304/316 NOT ACCEPTABLE

Line Total: \$96.00

| | | | | | | |
|---|------------------|---------------------|-------------------------------|--------------|---------|----------|
| 6 | M304B0.625X3.000 | 304 BAR .625 X 3.00 | 11/4/2015 Yes 11/4/2015 | 12.00 ✓ f | \$24.55 | \$294.60 |
|---|------------------|---------------------|-------------------------------|--------------|---------|----------|

MATERIAL: AISI 304/316 SS BAR OR AISI 304/316 SS PLATE
AS PER ASTM A276 OR ASTM A240
NOTE: AISI 303 NOT ACCEPTABLE

DAS
9
9-89

Line Total: \$294.60

Note:

10/29/2015



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO30311**

Purchase Order Date 10/29/2015

PO Print Date 10/29/2015

Page Number 3 of 4

Order From :

VC-CAM002

Ship To : DART AEROSPACE LTD

CAMPI STEEL
935 BOUL. DU HAVRE
VALLEYFIELD, QC J6S 5L1
CA

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name

Vendor Phone 800 667 4248

Ship To Contact

Ship To Phone

Ship Via: Yours ppd

Ship Acct:

Buyer

Chantal Lavoie

Customer POID

Customer Tax #

10127-2607

Terms

Net 30

Currency

CAD

FOB

FCA - (Free Carrier)

| | | | | | | | |
|---|------------------|---------------------|-----------|-------|--|---------|----------|
| 7 | M304B1.000X1.000 | 304 bar 1.00 x 1.00 | 11/4/2015 | 12.00 | | \$17.68 | \$121.14 |
|---|------------------|---------------------|-----------|-------|--|---------|----------|

Yes

f

11/4/2015 DAS

9

9-89

MATERIAL: AISI 304/316 SS BAR OR AISI 304/316 SS PLATE
AS PER ASTM A276 OR ASTM A240
NOTE: AISI 303 NOT ACCEPTABLE

Line Total: \$121.14

| | | | | | | | |
|---|------------|---------------------|-----------|-------|--|--------|---------|
| 8 | M304R0.375 | 304 ROUND BAR 0.375 | 11/4/2015 | 12.00 | | \$1.22 | \$14.59 |
|---|------------|---------------------|-----------|-------|--|--------|---------|

Yes

f

11/4/2015 DAS

9

9-89

MATERIAL: AISI 304/316 SS ROUND BAR AS PER ASTM A276

(NOTE: AISI 303 NOT ACCEPTABLE)

Line Total: \$14.59

| | | | | | | | |
|---|---------------|-------------------------|-----------|-------|--|--------|---------|
| 9 | M6061T6R0.625 | 6061-T6 Round Bar .625" | 11/4/2015 | 20.00 | | \$1.16 | \$23.23 |
|---|---------------|-------------------------|-----------|-------|--|--------|---------|

Yes

f

11/4/2015 DAS

9

9-89

MATERIAL: 6061-T6/T651/T6510/T6511/T62 ALUMINUM BAR
AS PER QQ-A-225/8 OR AMS-QQ-A-225/8 OR AMS 4117/4128/4115/4116
OR QQ-A-200/8 OR AMS-QQ-A-200/8 OR AMS 4160 OR ASTM B211 OR
ASTM B221

2015-11-9

Note:

10/29/2015



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO30311**

Purchase Order Date 10/29/2015

PO Print Date 10/29/2015

Page Number 4 of 4

Order From :

VC-CAM002

CAMPI STEEL
935 BOUL. DU HAVRE
VALLEYFIELD, QC J6S 5L1
CA

Ship To : DART AEROSPACE LTD

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name

Vendor Phone 800 667 4248

Ship To Contact

Ship To Phone

Ship Via: Yours ppd

Ship Acct:

Buyer

Chantal Lavoie

Customer POID

Customer Tax #

10127-2607

Terms

Net 30

Currency

CAD

FOB

FCA - (Free Carrier)

Line Total: \$23.23

| | | | | | | | | |
|----|---------------|-------------------------|-----------|------------------|-------|---|--------|---------|
| 10 | M6061T6R0.750 | 6061-T6 Round Bar .750" | 11/4/2015 | DAS 9 9-89 | 20.00 | ✓ | \$1.66 | \$33.28 |
| | | | Yes | | f | | | |
| | | | 11/4/2015 | | | | | |

Line Total: \$33.28

| | | | | | | | | |
|----|----------|--------------------------------|-----------|--|------|---|--------|--------|
| 11 | 71401-45 | PROCUREMENT QUALITY CLAUSES | 11/4/2015 | | 1.00 | ✓ | \$0.00 | \$0.00 |
|----|----------|--------------------------------|-----------|--|------|---|--------|--------|

Procurement Quality Clauses

A005 right of entry

A012 chemical and physical test report

A016 personnel qualification

A017 raw material identification (as applicable)

A026 certification of material conformance

A041 quality management system

A042 dart notification by supplier

A043 retention of quality document

No
11/4/2015

Line Total: \$0.00

PO Total: \$2,060.85

Note: Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.

Change Nbr: 2

Change Date: 10/29/2015